Energy Saving Closedown Guide

For Pubs & Restaurants closing for prolonged periods

The purpose of this guide is to assist the operators of pubs and restaurants in ensuring that their energy and water consumption is reduced as far as practically possible in businesses that are shutting for prolonged periods.

It has been prepared using advice from equipment suppliers and manufacturers but it is generic in its nature. If you have any doubts regarding specific equipment, then please contact us or your supplier for more information.

Equi pm ent to le a v e or	1
Some equipment will normally need to remain on and operational, this includes:	Intruder Alarm
	Fire Alarm
	CCTV
	Computer Systems
	Internet routers
	Telephone systems
	Mobile phone masts (if fitted)
	Security lighting
	Insectocutors

Equi pm ent to tu rn of f

He ating / Cooling System s	
Ite m	Com m ent s
Central Heating Systems	 Trade area, BOH can be switched off Heating for any live on accommodation should be set to timed. Note – heating needs to be turned off via the timer/main heating controls (usually by the boiler), if you just turn the room temperature thermostats down the boiler may still run.
AC Units	 All AC units should be switched off, there could be multiple controllers.
Building Management System (BMS)	 A BMS system is a technical system that can control all ventilation, heating, cooling and hot water in the business.
	Before it is switched off it needs to be understood if it is connected to key items within the business, these being: o Intruder Alarm o Fire Alarm o Sprinkler system o Pump sets o Landlords' system

	In this instance advice and clarification should be sought from either the Mechanical contractor that maintains the system or the Property/Maintenance Dept to understand the system in more detail.
	 If the installed system is not connected to any of the items listed above, all control switches can be switched to the "Off" position.
Hot Water	 Switched off for all trading areas If the site has live in accommodation hot water may need to remain on, usually hot water systems are shared between trade area and accommodation Before hot water is used again, normal in house water safety temperature checks should be completed.

Trade Area	
Ite m	Com m ents
Lighting	All internal lighting, check display lighting etc
TV's	Turned off where possible, if plug is not accessible leave in standby
AWP's / Vending Machines	Switch off at plug
Over door heaters	There could be multiple units in different locations, all should be turned off
Extraction	Check extraction fans are off, listen for noises
Fairy Lights	There could be multiple sets

Ba r	
Ite m	Com m ents
Bottle Fridges	 Clean before switching off Leave door slightly open Clean and sanitise before the fridge is used again
Coffee / Expresso / Filter Machines & Grinders	 If possible, isolate at power source, if not, turn off on the machine/s making sure machine/s are completely off (upper hot tray, boilers etc) Clean machine/s when it is switched off Clean and sanitise machine/s before it is used again
Water boilers	There could be multiple units
Milk fridge	 Clean before switching off Leave door slightly open Clean and sanitise before the fridge is used again
Ice cream freezer	 Defrost and Clean before switching off Leave door slightly open Clean and sanitise before the freezer is used again
Ice cube/crushed ice machines	 Empty and clean machine/s If possible isolate water supply at back of machine/s Clean and sanitise the machine/s before they are used again
Glasswashers	Run normal cleaning cycle on empty machine

	 Empty all water and clean machine Clean and sanitise the machine/s before it is used again There could be multiple machines
Slush machines	 Empty and clean machines Clean and sanitise the machine/s before they are used again There could be multiple machines

Toilets	
Ite m	Comments
Lights	 Check they are going off, may be controlled by PIR motion sensor or normal switch
Ventilation / Extraction	 Check it is going off, may be connected to by PIR motion sensor, lighting normal switch or BMS system if installed
Taps	Make sure they are all off
Toilets	Check none are leaking or overfilling
Urinal Cisterns	 If possible, turn water supply to urinal system off

Kitchen	
Ite m	Com m ents
Lights	Check they are going off, may be controlled by PIR motion sensor or normal switch
Fridges / Freezers	 Condense food stock down into smallest number of machines possible, ideally to walkin fridge/freezer. Clean before switching off Make sure lights in walk-ins are off Leave door slightly open Clean and sanitise before the fridge is used again
Cooking equipment	 Make sure all equipment is switched off e.g. Fryers, Chargrills, hot holding, ceramic heat lamps etc. Clean all equipment and food cooking/preparation area thoroughly Before the equipment is used again, clean and sanitise all equipment and food cooking/preparation areas thoroughly
Extraction System	Make sure all extraction and supply air fans are switched off, listen to make sure they are off
Dishwashers	 Run normal cleaning cycle on empty machine Empty all water and clean machine Clean and sanitise the machine/s before it is used again
Dumbwaiters / Hoists	 Clean all dumbwaiters/hoists Check that any heat lamps/hot plates are turned off Clean and sanitise before they are used again

Cellars		
Ite m	Com m ents	
Beer line coolers	Switch beer line coolers off: Complete a full thorough line clean as per normal procedures. All taps, nozzles, keg couplers, cellar buoy's to be cleaned and rinsed and left to dry Pull plenty of fresh water through the lines (at least 10 pints per line) Taps, nozzles, keg couplers, keg connections (to open barrels) should be sealed/covered with bags or cling film. Compressor/Gas supply to beer pumps turned off. Before the lines are used again: A full thorough line clean should be completed, including, taps, nozzles, keg couplers etc. Beer line coolers may take 24 hrs to get to correct operating temperature. Note – If the business is closed for long period of time, every 2/3 weeks complete the following: Plenty of fresh water should be pulled through all lines, this is to stop the water becoming stagnant and protect the line. Beer line coolers should be turned on and left to operate for approx. 1 hour – They should not be left on for long periods of time with water in the lines. Remember to turn compressor/gas pumps on if needed for line cleaning, turn off when complete. Note – Beer line coolers with a digital controller have inbuilt time control, it is thought that if the power is lost for a period of time (1-2 weeks) the On/Off timed settings will be lost, and it will default to On, which will allow the coolers to work, time schedules can be re-set at a later date.	
Cellar cooling	 Information we have been given reference products is as follows: Any un-opened keg product does not need to be chilled, best before dates need to be observed. Any opened keg product should be used within 1 week of opening and/or before the best before date, the product does not need to be kept chilled. Any cask product should be used before the best before date and needs to be kept chilled. If you don't have any in-date cask products the cellar cooling can be turned off. Cellars should be cleaned thoroughly as soon as the business is closed, it should be thoroughly cleaned before it is used again. 	
Lights	Check they are going off, may be controlled by PIR motion sensor or normal switch	

Exter nal	
Ite m	Comments
Patio Heaters	 Power supplies should be isolated within the building so that the units are not powered in any way
Lighting	 Review if external lighting is needed for security reasons etc, if needed, then adjust time control (if fitted) to suit.

Office	
Ite m	Com m ents
Lights	Check they are going off, may be controlled by PIR motion sensor or normal switch
Music amps	There may be multiple amps
Monitors	Switch off any monitors or standalone PC's/Laptops
AC / Heating	Check any heating/cooling/extraction goes off correctly

Hot e I Room s	
Ite m	Comments
Lights	 Check they are going off, they may be controlled by a card switch or normal light switch, check: Bedside tables Bathroom lighting Corridors Linen storage rooms
Heating / Air conditioning	Controls are all off and not on constant or Auto function
Taps, toilets, showers	 Make sure all taps and showers are off, check toilets are not overfilling
Extraction	Check bathroom/ensuite extraction fans
Towel Rails	 Heated towel rails to bathrooms, they may be separate electric units or part of the heating system
Trouser Press	Check they are all off

Storage & Redundant Areas	
Ite m	Comments
Lights	 Check they are going off, may be controlled by PIR motion sensor or normal switch
Ventilation	 Make sure all extraction and supply air fans are switched off, listen to make sure they are off

Water	
Ite m	Comments
Main water supply	 If the business is not lived in and you know where the main incoming water supply stop cock is, it may be easier and beneficial to turn the water off to the business, this will stop any unnecessary water usage and any potential leaks.